



Grades guide

MITIS

Harmony

Harmony offers a grade of wood with less variations than nuance grade – an option that’s sure to please. The knots are the only natural aspect preserved in this grade, leaving you the leeway to create beautiful harmony between your floor and your more contemporary decor.

Split	Not allowed
Check	Not allowed
Ring shake	Not allowed
Tight knot	Not allowed
Sound knot	Allowed
Wane	Limited (back side)
Minimum length	12''
Maximum length	76'' (3 1/4'' width)
Available finish	Matte Satin Semi-gloss Matte Oiled



Sound knot



MAPLE



RED OAK



YELLOW BIRCH



ASH



AMERICAN CHERRY



SILVER MAPLE

Nuance

The Nuance grade is your choice for a naturally rich decor that is both warm and authentic. This grade offers floors in colours that range from pale (sapwood) to dark (heartwood).

Split	Not allowed
Check	Not allowed
Ring shake	Not allowed
Tight knot	Not allowed
Sound knot	Allowed
Wane	Limited (back side)
Minimum length	12''
Maximum length	76'' (3 1/4'' width)
Available finish	Matte Satin Semi-gloss Matte Oiled



Sound knot



YELLOW BIRCH



RED OAK



MAPLE

Character

Derived from the marriage between different grades, Character flooring adds a completely unique element to your decor. With warm variations of hue accentuated with rustic features, this grade recalls the floors of yesteryear.

Surface split	Allowed up to 1/8'' of depth (3 mm)
Check	Allowed up to 1/4'' of depth (6 mm)
Ring shake	Not allowed
Tight knot	Allowed up to 2,5'' of diameter 64 mm)
Sound knot	Allowed
Wane	Limited (back side)
Minimum length	8''
Maximum length	76'' (3 1/4'' width)
Available finish	Matte Satin Semi-gloss Matte Oiled



Check



Tight knot



Sound Knot



Surface split



YELLOW BIRCH



RED OAK



MAPLE

Antique

An artistically aged hardwood floor, that is what the Mitis Antique grade will give you. This grade also offers beautifully undulating long length boards with a touch of rustic character. The Antique grade will bring texture to your decor.

It is available in 16 varieties.

Surface split	Not allowed
Check	Not allowed
Ring shake	Not allowed
Tight knot	Allowed up to 2,5'' of diameter 64 mm)
Sound knot	Allowed
Wane	Limited (back side)
Minimum length	12''
Maximum length	71'' (5 1/4'' width)
Available finish	Matte
Undulations	Randomly
Brushed	On selected items



Brushed




Tight knot




Sound Knot




Undulations



Cherry | Natural 000




Red Oak | Brown 4114



Red Oak | Brown 4116



Red Oak | Beige 4070



Red Oak | Beige 4047



Red Oak | Brown 4112




Red Oak | Brown 4134




Maple | Grey 4035




Maple | Grey 4023




Maple | Brown 4112




Ash | Beige 4072



Ash | Grey 4035



Yellow Birch | Brown 4138



Yellow birch | Grey 4025



Yellow Birch | Beige 4057



Red Oak | Beige 4066

Glossary

Surface split:

Longitudinal fissure in wood that breaks growth rings.

Wane:

Original rounded surface of log on any edge of sawn timber (with or without bark).

Check:

Short, narrow and shallow surface fissure growth rings caused by drying.

Tight knot:

Knot having radial checks.

Sound knot:

Solid knot without bark or rot.

Ring Shake:

Longitudinal fissure between or traversing growth ring.